

I LEAVE THE ORDINARY BEHIND. #AmGixxer

INTRODUCING THE GIXXER 2018 SERIES NOW WITH ABS.



Way of Life!



GIXXER



**GIXXER
SF**



JD Power India Two-Wheeler
Initial Quality Study (2WIQS)*



JD Power India Two-Wheeler
Automotive Performance, Execution
and Layout (2WAPEAL) Study*

FI FUEL INJECTION
ONLY WITH GIXXER SF

POWERED BY
SEP
SUZUKI ECO PERFORMANCE

ABS



The Gixxer SF now comes with advanced Fuel Injection Technology equipped with 6 sensors to calculate the optimum amount of fuel to be injected for better combustion efficiency. Thereby improving fuel efficiency and providing accurate throttle response at all rpm to make your every ride even more exciting.



SEP (Suzuki Eco Performance) is a new developmental concept proposed by Suzuki. At Suzuki, we pay great attention to riding performance, and "SEP" stands for our next-generation engine that offers both low fuel consumption and superior acceleration.



Glass Sparkle
Black (YVB)



Candy Sonoma Red/
Metallic Sonic Silver (CZU)



Metallic Triton
Blue (YSF)



NEW ECSTAR GRAPHIC
(AVAILABLE ONLY IN
METALLIC TRITON BLUE VARIANT)



**Ultra Light and
Robust 155cc Engine**



**Sporty Twin
Exhaust**



**Wide Rear Radial
Tubeless Tyre**



ABS* (Anti-lock brake system), a supplemental system, which automatically controls the braking force efficiently & avoids wheels locking up due to slippery road, sudden change of road conditions or excessive braking in a certain controllable range. Please do not overly rely on ABS.



Metallic Triton Blue/
Glass Sparkle Black (KEL)



Candy Sonoma Red/
Metallic Sonic Silver (CZU)



Glass Sparkle
Black (YVB)



Smart Digital
Instrumentation with
Gear position
and RPM indicator



7-Step Adjustable
Rear Mono Shock
Suspension



Clear Lens
LED Tail Lamp



Rear
Disc-Brake



41mm Large
Diameter
Front Forks

GIXXER



**Metallic Triton Blue/
Glass Sparkle Black (KEL)**

**GIXXER
SF**



**Metallic Triton
Blue (YSF)**

Engine

Engine Type:	4-Stroke, 1-Cylinder, Air-cooled
Valve System:	SOHC, 2 Valve
Displacement:	154.9 cm ³
Bore x Stroke:	56.0 mm x 62.9 mm
Engine Output:	14.8ps@8000rpm
Torque:	14Nm@6000rpm
Fuel System:	Gixxer SF: Carburettor/FI Gixxer: Carburettor
Starter System:	Carburettor (Electric/Kick) FI (Electric)
Transmission Type:	5 Speed, MT

Dimensions and Weight

Wheels:	Cast
Overall Length:	2050 mm
Overall Width:	785 mm
Overall Height (Gixxer SF):	1085 mm
Overall Height (Gixxer):	1030 mm
Wheel Base:	1330 mm
Ground Clearance:	160 mm
Seat Height:	780 mm
Kerb Mass (Gixxer SF):	FI variant: 139 kg/ 140 kg (with ABS) Carburettor: 140 kg/ 141 kg (with ABS)
Kerb Mass (Gixxer):	135 Kg 136 Kg (with ABS)
Fuel Tank:	12 L

Suspension

Front:	Telescopic
Rear:	Swing Arm, Mono Suspension

Tyre Size

Front:	100/80 - 17 - Tubeless
Rear:	140/60R - 17 - Radial Tubeless

Brake

Front:	Disc
Rear:	Disc


Electrical

Battery:	Maintenance free 12V, 3Ah
Headlight:	12 V 35/35 W
Tail light:	LED

J.D. Power Awards

The Suzuki Gixxer/ Gixxer SF was the highest ranked Upper Executive Motorcycle in the J.D. Power 2018 India Two-Wheeler Initial Quality Study (2WIQS) Study™ based on evaluations from 10,102 vehicle owners who purchased a new vehicle between March 2017 and October 2017. The study includes 88 two-wheeler models from ten makes. The Suzuki Gixxer/ Gixxer SF was also the highest ranked Upper Executive Motorcycle in the J.D. Power 2018 India Two-Wheeler Automotive Performance, Execution and Layout (2WAPREAL) Study™ based on evaluations from 9,981 vehicle owners who purchased a new vehicle between March 2017 and October 2017. The study includes 88 two-wheeler models from ten makes. Study results are based on experiences and perceptions of owners surveyed. Your experiences may vary. Visit india.jdpower.com.

Visit us at: www.suzukimotorcycle.co.in  /Suzuki2wheelers  /amGixxer  /Suzuki2wheelers  /Suzuki2wheelers  /Suzuki2wheelers

Regd. Office, Sales & Marketing Office: 2nd Floor, Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi - 110 070. Fax: 011-4607 5418.  Ride safe.  Wear a helmet. | Prices of the vehicles are available on our website

Specifications, appearances, equipments, colours, materials and other items of Suzuki product shown in this leaflet are subject to change by manufacturers at any time without notice and they may vary depending upon local conditions and requirements. Please visit your local dealer for details of any changes. Actual body colour may differ from the colours in this leaflet. *ABS is not designed to shorten the braking distance. ABS cannot prevent wheel skidding caused by braking while cornering. Please ride carefully and do not overly rely on ABS.

Please scan this QR code to visit our website



#Including 3 Years optional warranty.